

Model 9110

100W Multi Range 60V/5A DC Power Supply


Data Sheet

100W Multi Range 60V/5A DC Power Supply

ME PROCESSION 110 CV CC MARK V V CC MARK V

Model 9110

The 9110 is a new type of power supply. Unlike conventional power supplies with fixed output ratings, the 9110 automatically recalculates voltage/current limits for each setting, forming a constant power hyperbolic shaped boundary as illustrated in the diagram below. The 9110 provides 100W output power in any Volt/Amp combination within the rated voltage (60V) and current (5A) limits. By providing greatly expanded choices of Volt/Amp combinations, users can cut down on the number of power supplies required and free up valuable bench space.



Example

When setting the voltage to the maximum of 60V, the maximum current value is 100W/60V = 1.66A. For a 20V setting, the maximum current is 5A. Maximum output power of 100W is possible for all Volt/Amp combinations that lie on the hyperbolic curve.



Key Features:

- Digitally controlled, mixed mode linear/switching DC power supply
- I0mV/ImA resolution over the full range
- Bright, easy to read display
- Very compact size and light weight
- Low ripple and noise
- High reliability due to OCP, OVP and OTP (Over current/voltage/temperature protection)
- Output On/Off control
- Store and recall 4 x 100 groups of preset Volt/Amp
- Temperature controlled, variable speed fan cooling

Specifications model		
	9110	
	Voltage	Current
Output Ratings	0 ~ 60V	0 ~ 5A
	Max. Power: 100W	
Load Regulation	≤ 0.01% + 3mV	≤ 0.01% + 3mA
Line Regulation	≤ 0.01% + 3mV	≤ 0.1% + 2mA
Setting Accuracy	≤ 0.05% + 10mV	≤ 0.2% + 2mA
Display Accuracy	≤ 0.05% + 10mV	≤ 0.1% + 2mA
Ripple	≤ 2.0 mVrms	≤ 5 mArms

General	
State Storage Memory	100 groups with 4 sets of Volt/Amp memories each
Weight	5.9lbs (2.65kg)
Dimensions (W x H x D)	3.47" x 6.9" x 11.11"
	(88mm x 175mm x 282mm)

Accessories	One Year Warranty

SUPPLIED: Line Cord, Manual

OPTIONAL: TL 5A (5A test leads), TL 30 (30A test leads), TLPS (Power supply test lead kit)

Specifications subject to change without notice

Distribué par:



testoon State Internet de la mesure

99, rue Béranger 92320 Chatillon Tel : 01 71 16 17 00; Fax : 01 71 16 17 03 www.testoon.com