

Video Inspection Systems





SeeSnake® Compact2 & CS6Pak



SeeSnake[®] MAX rM200 & CS6

For inspection of small and medium lines from Ø 40 up to 150 mm / 200 mm

The new RIDGID[®] SeeSnake[®] Systems allow you to get the perfect, clear view in various residential, commercial or industrial drains, making your life easier and helping you work smarter as never before.

SeeSnake Compact 2 & CS6 Pak

SeeSnake MAX rM200 & CS6

HIGH performance in a compact, durable and light package

MAIN KEY FEATURES:

- Self-leveling camera for a crisp, clear, inpipe image that is always upright.
- **Compact, portable package** for convenient transportation and storage.
- Docking system for fast, efficient job setup.
- Outstanding maneuverability from **improved cable design** and camera head.
- Digital recording direct-to-USB.
 SeeSnake[®] HQ[™] Software to edit, archive,
- and deliver reports via print, DVD or online.
- Precise locating of the camera with the **built**in **FleXmitter sonde**.
- Integrated microphone and speaker.
- New monitor video overlay feature for adding measurements, date, time.

Combines portability and versatility to make your drain inspections easy and efficient

CS6Pak monitor has the same features with CS6 and is compatible with all SeeSnake[®] camera reels. CS6Pak is designed to dock onto Compact 2 reel, while CS6 easily mounts to the SeeSnake[®] MAX rM200 docking handle.





SeeSnake[®] HQ[™] Software to edit, archive, and deliver reports via print, DVD or online



Direct-to-USB Recording (8 GB USB key included)

Systems Specifications	5	SeeSnake [®] Compact 2 & CS6Pak System	SeeSnake® rM200 & CS6 System		
Pipe Capacity		Ø 40 mm - 150 mm	Ø 40 mm – 200 mm		
Camera	Туре	25	25 mm Self-Leveling		
	Sonde	512 Hz S	512 Hz Stand-alone (FleXmitter)		
Push Cable	Length	30 m	61 m		
	Diameter	6 mm	7.5 mm		
Monitor	Display size & type	5.7" Color LCD, VGA, 640 x 480 pixels			
	Connectivity	USB (8 GB standard included)			
	Power source	18 V 4.0 Li-Ion 4.0	18 V 4.0 Li-Ion 4.0 battery or AC adapter (optional)		
Overall dimensions	Weight	10 kg	17 kg		
	Length	62.5 cm	52.7 cm		
	Width	36 cm	13.8 cm		
	Height	43.2 cm	61.0 cm		
HQ Reporting Software			YES		





SeeSnake[®] MAX rM200 CAMERA SYSTEM EASILY EXAMINE 40 TO 200 MM LINES WITH A CAMERA THAT OFFERS A CONSISTENT, UPRIGHT VIEW.



Rechargeable 18 V Advanced Lithium 4.0 Battery



AC Battery Adapter (optional)



Ordering Information

Catalog No.	Model No.	Description	Weight (kg)		
Compact 2 & CS6Pak System					
45168	CS6Pak	CS6Pak Digital Recording Monitor only (230 V)	2.6		
45173	CS6Pak	Kit CS6Pak Digital Recording Monitor with 1× 4.0 A Battery and 1× Charger	3.8		
48098	Compact 2	Compact 2 Reel only (230V)	7.7		
48118	Compact 2 System	Kit Compact 2 System with CS6Pak Monitor 1× 4.0 A Battery & 1× Charger	11.5		
rM200 MAX & CS6 Camera System					
45148	CS6	CS6 Monitor only (230 V)	1.6		
45153	CS6	Kit CS6 Monitor with 1×4.0 A Battery and $1 \times$ Charger	2.8		
42353	rM200 MAX	rM200 reel only (transport kit & storage bin included)	16.4		
47163	rM200 MAX System	Kit rM200 MAX System with CS6 Monitor & 1× 4.0 A Battery & 1× Charger	19.2		
Accessories (Compatible with all SeeSnake® monitors)					
45368	Adapter	AC Battery Adapter	0.5		
43328	Battery	18 V Advanced Lithium 4.0 A Battery	0.7		
43333	Charger	230 V Advanced Lithium Battery Charger	0.5		
45433	Battery & Charger	Set of 2 18 V 4.0 A Batteries & 1× Charger 230 V	1.9		








SeeSnake[®] HQ[™] PC Software (Included)

The 8 GB USB drive included with your CS6Pak has HQ software preloaded. Install the included SeeSnake[®] HQTM software onto your pc or laptop. Simply import your inspections from your CS6Pak monitor into SeeSnake[®] HQTM via USB stick. Edit video and images, fill out detailed job reports, archive and deliver via print, DVD or online.

HQ can be installed on PCs running Windows 7, Windows 8, or Windows 8.1. The software is translated into 18 languages. Register your CS6Pak in HQ's Equipment Locker to receive updates.



For the complete selection of the RIDGID® product line, please refer to the RIDGID Catalog or **www.RIDGID.eu**.



DISTRIBUTOR



99, rue Beranger 92320 Chatillon - France Tel : +33 (0)1 71 16 17 00 Fax : +33 (0)1 71 16 17 03 www.testoon.com



Ridge Tool UK c/o Emerson Electric UK Ldt 2nd Floor Accurist House 44 Baker Street London W1U 7AL T: +44 (0) 808 238 9869 UK F: +44 (0) 808 238 9904 UK T: +353 1 800 936 397 Ireland F: +353 1 800 936 240 Ireland ridgid.gb@emerson.com www.RIDGID.eu

