

Laserliner®

LaserRange-Master T4 Pro

Laser distance meter – with Bluetooth interface and angle function

- Point-precise measuring with laser to determine lengths exactly
- The area and volume functions permit the acquisition of room sizes, for example to calculate material quantities
- Bluetooth interface for measurement data transfer
- 360° inclination sensor for determining the horizontal and vertical distance
- High measuring accuracy up to 40 m: ± 2 mm*
- Inside measurement range: 0.2 m to 40 m
- 3 selectable measurement reference points: front, tripod and rear
- Continuous measuring function
- Illuminated 3-line colour LCD with touch function
- Stable, ergonomic housing

TECHNICAL DATA

ACCURACY ± 2 mm (typical)* MEASUREMENT RANGE max. 40 m

MINIMAL RANGE 0,2 m LASER Class 2 < 1mW

LASER WAVELENGTH 650 nm

OPERATING TEMPERATURE 0°C ... 40°C

STORAGE TEMPERATURE -20°C ... 70°C

UNIT (selectable) m / ft / inch / _'_'

AUTOMATIC SWITCH-OFF dynamic depending on measuring mode: Laser: 30 s - 5 min Device: 3 min - 8 min

FUNCTIONS distances, areas, volumes, continuous measurement, Pythagoras 1 + 2, angle function 1 + 2

POWER SUPPLY Batteries 2 x 1.5 V type AAA DIMENSIONS (W x H x D) 100 x 23 x 35 mm

WEIGHT with batteries 82 g

* See operating instructions for specific accuracies



99 rue Beranger 92320 Chatillon - France Tel. : +33 (0) 1 71 16 17 00 Fax : +33 (0) 1 71 16 17 03 www.testoon.com



LaserRange-Master T4 Pro inclusive softbag + batteries (2 x 1.5 V type AAA) Packaging dimension (W x H x D) 113 x 236 x 64 mm









 $= m^{2}$

Illuminated colour LCD

Multi purpose functions Touch screen for switching functions

ARTICLE	ARTICLE NO	EAN-CODE	PU
LaserRange-Master T4 Pro	080.850A	4 021563 698158	5
HUTTER 650 nm		2x AAA	SOFT